



COMMONWEALTH OF MASSACHUSETTS  
EXECUTIVE OFFICE OF ENERGY & ENVIRONMENTAL AFFAIRS  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION**  
SOUTHEAST REGIONAL OFFICE  
20 RIVERSIDE DRIVE, LAKEVILLE, MA 02347 508-946-2700

DEVAL L. PATRICK  
Governor

TIMOTHY P. MURRAY  
Lieutenant Governor

IAN A. BOWLES  
Secretary

LAURIE BURT  
Commissioner

April 3, 2008

Eric Morin, Environmental Manager  
ISP Freetown Fine Chemicals, Inc.  
238 South Main Street  
Assonet, Massachusetts 02702

RE:FREETOWN – Industrial Wastewater  
ISP Freetown Fine Chemicals, Inc. @  
238 South Main Street, BWP IW38-  
Permit for Industrial Sewer User  
M.G.L Ch 21, Section 43  
314 CMR 7.00 and 2.06  
Transmittal No. W205489

Dear Mr. Morin:

Enclosed is your Permit for Industrial Sewer User BWP IW38 issued pursuant to the Massachusetts Clean Water Act (the "State Act"), M.G.L., Ch. 21, Section 26-53, as amended, and the promulgated regulations 314 CMR 7.00, 314 CMR 2.00, and 310 CMR 4.00 thereunder.

This permit is an action of the Department of Environmental Protection and is effective upon issuance. Please carefully review the enclosed permit, including all the terms and conditions stated under. If you are aggrieved by this action, you may request an adjudicatory hearing. A request for a hearing must be made in writing and postmarked within thirty (30) days of the date this permit was issued.

Under 310 CMR 1.01(6)(b), the request for a hearing must state clearly and concisely the facts that are the grounds for the request, and the relief sought. Additionally, the request must state why the permit is not consistent with applicable laws and regulations.

The hearing request, along with a valid check payable to the Commonwealth of Massachusetts, in the amount of \$100.00, must be mailed to:

Commonwealth of Massachusetts  
Department of Environmental Protection  
P.O. Box 4062  
Boston, MA 02211

This information is available in alternate format. Call Donald M. Gomes, ADA Coordinator at 617-556-1057. TDD# 866-539-7622 or 617-574-6868.

DEP on the World Wide Web: <http://www.mass.gov/dep>



Printed on Recycled Paper

The request for a hearing will be dismissed if the filing fee is not paid, unless the appellant is exempt or granted a waiver as described below.

The Department may waive the adjudicatory hearing-filing fee for a person who shows that paying the fee will create an undue financial hardship. A person seeking a waiver must file, together with the hearing request as provided above, an affidavit setting forth the facts believed to support the claim of undue financial hardship.

Please include the transmittal number listed above on any further correspondence regarding your application.

Should you have any questions, please do not hesitate to contact Robert Greene at (508) 946-2826.

Very truly yours,

This final document copy is being provided to you electronically by the  
Department of Environmental Protection. A signed copy of this document  
is on file at the DEP office listed on the letterhead.

Christopher Tilden, P.E.  
Regional Engineer for Waste Prevention

T/RWG/

Enclosures:

Permit for Industrial Sewer User (BWP IW 38)  
Attachment A – Special Conditions  
Toxics Pollutant Form  
WWTP Flow Diagram  
WWTP Operation document

ec DEP-Boston  
ATTN: John Reinhardt  
Mingyuan Pan  
Kellie Ingram  
Anthony Abruzese  
Thomas Higgins

cc: City of Fall River Sewer Commission  
One Government Center – 3<sup>rd</sup> Floor  
Fall River, MA 02722

ATTN: Ronald Laro, Director of Sewer Commission